

V2-25 (07 Feb 2025)

Prohibited: P – Prohibited for general carriage. Exceptions on a case-by-case basis with Special Approval.

Restricted: R – Acceptable for carriage provided specific requirements of Owners, POL/POD are fulfilled.

Restricted/Prohibited DG as per XPF Policy and may incur additional surcharge. - please check with respective Hubs and Marketing teams for the rates.

Class	UN	Proper Shipping Names	Comments	P/R
		CL	ASS 1 – Explosives	
1.1	ALL	Substances with mass explosion hazard		Р
1.2	ALL	Substances with a projection hazard but not a mass explosion hazard		Р
1.3	ALL	Substances with a fire hazard and minor blast or projection hazard.	ON DECK ONLY. Subject to case-by-case evaluation with sufficient lead time. Owner's permission & Port permits may be required. Max 100mt onboard at any one time.	R
1.4	ALL	Substances and articles which present no significant hazard.	ON DECK ONLY Subject to case-by-case evaluation with sufficient lead time. Owner's permission & Port permits may be required. Max 100mt onboard at any one time.	R
1.5	ALL	Insensitive products with mass explosion hazard		Р
1.6	ALL	Extremely insensitive articles, which do not have a mass explosion hazard		Р
		C	CLASS 2 – Gases	
2.1	1057	Lighters or Lighter refills, containing flammable gas	ON DECK ONLY Carriage is subject to a vanning survey report issued 24 hours before loading at port of origin.	R
2.2	2455	Methyl Nitrate (SP 900)		Р
		(Flash poir	3 - Flammable Liquids at below -26 deg C is restricted DG.)  5 4 - Flammable Solids	
4.4	0001	Lourne II II II II I		
4.1	3231 to 3240	Self-Reactive Liquid / Solid Temperature Controlled		Р
4.1	3541	Articles containing flammable Solid.		Р
4.2	1374	Fishmeal / Fish scrap UNSTABILIZED	ON DECK ONLY SP 907 - (Weathering cert is required) Prior Permission required from Owner / Master	R
	1361	Carbon, animal, or vegetable origin.	ON DECK ONLY (MSDS + Vanning report required) Prior Permission required from Owner / Master	R



V2-25 (07 Feb 2025)

	1362	Carbon, Activated	ON DECK ONLY (MSDS + Vanning report required) Prior Permission required from Owner / Master	R
	•			
		CLASS 5 – Oxidizin	g Substances and Organic Peroxides	
5.1	1512	Zinc Ammonium Nitrate		P
	1748	Calcium Hypochlorite		Р
	2208	Calcium Hypochlorite mixtures		Р
	2880	Calcium Hypochlorite Hydrated or Hydrated mixtures		Р
	3485 3486 3487	Calcium Hypochlorite Dry / Hydrated mixtures		Р
	1942	Ammonium Nitrate (Not more than 0.2% combustible material)	ON DECK ONLY- Prohibited for NVOCC  Max 100mt onboard at any one time. COA Required Owner's permission & Port permits may be required.	R
	2067	Ammonium Nitrate Fertilizers	ON DECK ONLY- Prohibited for NVOCC  Max 100mt onboard at any one time. COA Required.  Owner's permission & Port permits may be required.	R
	2426	Ammonium Nitrate, Liquid		Р
5.2	3375 3101	Ammonium Nitrate Emulsion Organic Peroxide – Type B		P P
<b>3.∠</b>	3101	Liquid Organic Peroxide – Type B Organic Peroxide – Type B		P
	3102	Solid Organic Peroxide – Type B  Organic Peroxide – Solid /	Origin from China/Hong Kong is prohibited	
	to 3110	Liquid	Origin from China/Florig Kong is prohibited	R
	3545	Articles Containing Organic Peroxide		Р
	3111 to 3120	Organic Peroxide – Solid / Liquid		Р
		CLASS 6 –	Toxic / Infectious Substances	
6.1	1649	Motor fuel anti knock mixtures		Р
	3483	Motor fuel anti knock mixture – flammable		Р
	2249	Dichlorodimethyl ether, symmetrical		Р
	3172	Toxins, extracted from living sources, liquid NOS		Р
	3315	Chemical sample, toxic		Р
	3488 to 3491	Toxic by inhalation liquid		Р
	3507	Uranium Hexafluoride		Р
	3546	Articles Containing Toxic Substances		P
	3550	Cobalt Di hydroxide Powder		Р



V2-25 (07 Feb 2025)

	3560	Tetramethylammonium		Р
	3300	Hydroxide Aqueous Solution		
6.2	ALL	ALL COMMODITIES	All PROHIBITED	Р
0.2	/\	ALE GOWINGBITTES	AILTROHIBITED	•
		CLASS 7 – Radio	eactive Material – All PROHIBITED	
		CLASS 8	3 – Corrosive Substances	
8	2031	Nitric Acid other than red fuming.	Must comply with (PP81)	R
	2032	Nitric Acid red fuming.		Р
	2071	Ammonium Nitrate fertilizer	ON DECK ONLY- Prohibited for NVOCC	R
	2212	Asbestos, Amphibole	Owner's permission & Port permits may be required.  Owner's permission & Port permits may be required.	R
	2216	Fishmeal (Fishscrap), Stablized	Subject to proper fish meal certificate in compliance with SP 907, 300 and 308	See Comment
	2211	Polymeric Beads,	Prohibited in Reefers.	
	3314	Expandable Plastic Moulding Compound	For DRY containers, packaging must be hermetically sealed. OT container acceptable.	See Comment
	2590	Asbestos, Chrysotile	Owner's permission & Port permits may be required.	R
	3245	Genetically modified organisms		Р
	3258	Elevated Temperature Liquid NOS at or above 240 deg C.	Competent Authority Approval required	R
	3077	Environmentally Hazardous	Origin ASIA SDS made available on request.	
	0077	Substance Solid N.O.S.	Chemicals prohibited as UN3077:	R
	3082			R See Comment

General Policy for Batteries – UN 2794, 2795, 2800, 3028, 3090, 3091, 3171, 3292, 3480, 3481, 3496, 3536, 3551, 3556, 3557, 3558

- All batteries must be new.
- Waste, damaged and used batteries are prohibited.
- Non-DG batteries are acceptable upon verification of supporting documents. special stowage mandatory.
- Non-DG batteries from NVOCC are only acceptable if accompanied by approval from NVOCC DG desk.
- All Lithium batteries including UN3171& 3536 will be stowed on deck protected from heat.
- UN3171(E-Vehicle) and UN3536 max 40units onboard.
- UN3171(E-Vehicle) and UN3536 prohibited for carriage in summer transiting Middle East.



V2-25 (07 Feb 2025)

#### Additional requirements for specific commodities:

- All Hazardous goods requiring temperature control for Safety purposes is prohibited.
- Any commodity containing Calcium Hypochlorite is prohibited.
- Waste & hazardous waste covered by Basel convention is prohibited.
- IMO Class 2.1, irrespective of main or sub risk, in reefer is prohibited.
- Bulk DG is not acceptable unless it meets the design and construction provisions of IMDG 6.9.3.1.
- Shark Fin Products in any form are prohibited.
- Charcoal shall always be declared as DG.
- Activated carbon that meets the requirements of SP979 (MSDS + Vanning survey report + self-heating test report + approval from customer's DG desk required) - special stowage mandatory, surcharge applicable and limited to XPF vessel only. Prohibited to NVOCC.
- Non-activated Carbon Black of mineral origin may be accepted (MSDS + self-heating test report) special stowage mandatory. Prohibited to NVOCC.
- All forms of Ammonium Nitrate are prohibited from NVOCC.
- DG in the restricted/prohibited list are prohibited to NVOCC
- Tanks should be accompanied by a valid tank inspection certificate (for NVOCC).
- All Military cargo is strictly subject to a case-by-case & the vessel's Master must be notified.
- All under SP900 is prohibited.
- Prohibited in Flexibag DG, marine pollutants, substances harmful to human beings.
- Substances with SP386 are required to submit/declare SAPT in accordance with SP386
- Class 3, irrespective of main or sub risk, are acceptable in reefer, provided the controlled temperature inside the reefer is 10°C below the flash point.

#### **Misdeclaration:**

- We will be implementing a penalty of USD 10,000 PER mis declared container, in any form including but not limited to misdeclaration of hazardous goods or IMDG cargo or weights.
- You will also assume all liabilities whatsoever that may arise from such misdeclaration under the
  applicable contract, or our conditions of carriage and the payment of penalty does not/will not absolve
  you from any liability.

#### **NVOCC** whitelist requirement:

- 1. Company DG policy and prohibited and Restricted List
- 2. Trained personnel with certification on DG handling as per IMDG code.
- 3. Main P&I club & 3rd party liability coverage. (2 Mil USD Minimum)
- 4. ISO Certification QMS for IMDG / NVOCC operations, (if not applicable, pls indicate)
- 5. If operating vessels, please specify the number of vessels. (minor ship operators) (if not applicable, pls indicate)

#### DG desk Email:

ASIA Eastern Africa & Middle East	dg@xpf.com
Europe Americas & Northern Africa	dg.goc@xpf.com